

Authors

Mr. Omar Fouad Gaballa

Prof.Dr. Afaf Abo-ElFoutoh Salah Dr. Essam Wasfi Rouphaeil

Mr. Mahmoud Yasser Al-khatieb Mr. Serafiem Elias ESkander

Revised by

Mr. Samir Mohamed Sedawy

Mr. Hussein Mahmoud Hussein

Counsellor of Mathematics

M.O.E

Issued 2009 D N 11225/2009 ISPN 978-977-6294-16-5

سم الله الرهمن الرهيم

Dear students:

It is extremely great pleasure to introduce the mathematics book for fifth primary. We have been specially cautious to make learning mathematics enjoyable and useful since it has many practical applications in real life as well as in the other subjects. This gives you a chance to be aware of the importance of learning mathematics, to determine its value and to appreciate the mathematicians roles.

This book sheds new lights on the activities as a basic objective. Additionally, we have tried to introduce the subject simply and excitingly to help attaining mathematical knowledge as well as gaining the patterns of positive thinking skills which pave your way to creativity.

This book is divided into units, each unit contains lessons. Colors and pictures are effectively used to illustrate some mathematical concepts and the properties of figures. Lingual level of previous study has also been taken into consideration.

Our great interest here is to help you get the information by your self in order to develop your self-Learning skills.

Calculators and computer sets are used when there's a need for. Exercises, practices, general exams, activities, unit test, general tests, and final term tests attached with model answers have been included to help you review the curriculum completely.

Eventually, we hope getting on the right track for the benefits of our students as well as for our dearest Egypt hoping bright future to our dearest students.

Authors



Contents

Second Term:


Unit one: Natural Numbers

Set of Natural Numbers		
Some Subsets of N		
Ordering and Comparing Natural Numbers		
Operations on Natural Numbers		
Numerical Patterns		
General Exercises		
Activity		
Unit Test		
Unit Two: Equations		
Mathematical Expressions		
The Constant and the Variable		
Equations		
General Exercises		
Activity		
Unit Test		
Unit Three: Measurement		
Area and its Units		
Area of a Parallelogram		
Area of a Square in terms of its Diognal length		
Area of a Rhombus in terms of its Diagonals length		

Lesson Five:	Circumference of a Circle
	General Exercises
	Activity
	Unit Test
	Unit Four: Geometric transformation
Lesson one:	Symmetrical Figures and Axis of Symmetry
	Geometric transformation
1	Reflection
Lesson Two:	Locating Points on a Ray
	Locating points on a coordinate plane
	General Exercises
	Activity
	Unit Test
	Unit five: Statistics
Lesson one:	Collecting data 80
Lesson Two:	Organizing and displaying data
Lesson Three:	Reading tables and line graphs
Lesson Four:	Representing data by the histogram and the frequency polygon 87
Lesson Five:	Representing data using the pie graphs
	Exercises
	The Activity
	Unit Test
	General Evams 93

List of Symbols

C	Set of counting Numbers	€	Less than or equal to	
E	Set of Even numbers		Equal to	
O	Set of Odd numbers	≠	Not Equal to	
Р	Set of prime numbers	\bigcirc	Open curve	
Ø or { }	Null set or empty set		Closed Curve	
€	Belonging		Circle	
∉	Not belonging	r	radius	
C	Inclusion	π	Approximate ratio	
Z	Not inclusion	AB	Line segment A B	
U	Union	AB	Ray A B	
Π	Intersection	AB	Straight line AB	
U	Universal set		Angle	
X`	Complement set	m (<u>/</u> B)	Measure angle (B), m (∠B)	
X-Y	X difference Y	P (E)	Probability of event E P (E)	
N	Set of natural numbers	≡	Congruent	
>	greater than	Δ	Triangle	
>	greater than or equal to	(x, y)	Ordered pair X, y (x, y)	
<	Less than			





*You will learn

Set of natural numbers

(A) Key Terms

- Set of natural numbers (N)
- ▶ Infinite set

Set of Natural Numbers



If you want to count your classmates, with which number will you start?

Counting starts with 1 then 2, 3 and so on.

What is the meaning of your last number?

Set of Counting Numbers

The set of counting numbers = $\{1, 2, 3, 4, ...\}$ and it is an infinite set. Adding the element "0" to this set produces a new set denoted by N and called set of natural numbers, where : N = $\{0, 1, 2, 3, 4, ...\}$

$$N = \{0, 1, 2, 3, 4,\}$$

It is an infinite set.

Example

Complete using an appropriate notation of \in , $\not\in$, \subset and $\not\subset$ to get a true statement .

Solution:






Write down two sets, one of them is a subset of N and the other one is not a subset of N.

Exercises

1	Complete using an appropriate notation of \in , $\not\in$, \subset and $\not\subset$ to get a true
	statement.

statement,	
	⊕ {2} N
© \(\frac{3}{4} \) \(\text{N} \)	◎ 0.7 N
€ {55} N	⟨2, 4, 6⟩ N
(3) ∩ {2, 4} N	ero N



(The smallest natural number is
(B)	The smallest counting number is
0	The set of natural numbers less than 5 is
0	Natural numbers ∩ Counting numbers (N ∩ C) =

Match (✓) with true statements and (X) with false statements.

⊘ 7.2 ∈ N	()
(0) ⊂ N	()
$\{0\} \cup \{1, 2, 3\} = N$	()
$\{0, 1, 2\} \cap \{0, 5, 10\} = \emptyset$	()
The greatest natural number is milliard.	()
The set of natural numbers is infinite	1)

Student's Book- second Term



Some Subsets of N



You have learned that the set of natural numbers

$$N = \{0, 1, 2, 3, 4, ...\}$$

The set of natural numbers N can be represented on the number line as follows:

Set of natural numbers (N)



Set of even numbers (E)



Set of odd numbers (O)



Set of prime numbers (P)



M Key Terms

You will learn

Some subsets of N

Set of even numbers

Set of odd numbers

Set of prime numbers.

- Subset.
- Set of even numbers (E).
- Set of odd numbers (O)
- Set of prime numbers (P)

From the references above you find that:

Set of even numbers (E) = { 0, 2, 4, 6, }

Set of odd numbers $(0) = \{1, 3, 5, \dots\}$

Set of prime numbers $(P) = \{2, 3, 5, 7, \dots\}$

Find:

(En O

O NOP

Whta do you observe?



Draw a Venn diagram to represent the sets: N, O and E.

Example

Complete the following to get a true sentence:

The set of natural numbers less than 5 is

N U O = where O is the set of odd numbers.

(15, 6, 0, 4} ∩ N =

 \bigcirc E \cap P = where E is the set of even numbers and P the set of prime numbers.

€ E-0=.....

Solution

(0, 1, 2, 3, 4)

® N

(15, 6, 0, 4)

(2)

Exercises

Match (✓) with true statements and (X) with false ones.

 \bigcirc Weight of anything in kgs \in N. ()

Your cellphone number ∈ N. ()

Number of pages of a book ∈ N.

The smallest prime number is 1. ()

2 Complete:

The set of natural numbers (N) - The set of even numbers (E) =

The set of even numbers (E) ∩ The set of odd numbers (O) =

The set of even numbers (E) \cap { 0 , 1 , 2 } =

(0,2} ∩ The set of prime numbers (p) =

3 Use venn-diagram to express the sets :

The set of natural numbers (N),

The set of even numbers (E),

The set of odd numbers (O).



You will learn K

- To represent natural numbers N on the number line.
- To order and compare natural numbers.

Key Terms

- Ordering numbers
- Comparing numbers

Ordering and Comparing Natural Numbers

I: Representing natural numbers (N) on the number line.



Let's work together

Classmates have to work in pairs:


Draw a straight line.




Choose two points a and b on the line.




Determine the point c on the line, where ab = bc



Determine the points d, e, ... on the line, where ab = bc = cd = de.



Place the numbers 0, 1, 2, 3, 4, ... to correspond the points a, b, c, d, e,



Remark


The natural number 3 is placed directly to the right of the number 2 and directly to the left of the number 4.

Complete:


The number 2 is placed directly to the right of the numberand directly to the left of the number

Examples

Represent the following sets on the number line:











Represent the following sets on the number line:

$$\triangle$$
 X = {0, 2, 3}.





Represent on the number line $X \cup Y$, where: $X = \{1, 2, 3, 5\}$, $Y = \{5, 6, 7\}$ then find $X \cap Y$

II: Ordering and comparing natural numbers



Let's work together



Work with your classmate.

- 1) Draw a number line and place the numbers which represent the set of natural numbers on it.
- 2 Complete:

The number 2 is placed directly to the right of the number, Therefore 2 >, While number 2 is placed directly to the left of the number, Therefore 2 <

In general:

For any two natural numbers represented on the number line a and b:


- if the point that represents the number b is placed to the right of the point that represents the number a, then
- If the point that represents the number a is placed to the left of the point that represents the number b, then a < b




If the following natural numbers a, b, c, d and e are represented on a number line as shown on the figure below:



1: Complete using > or < and justify your answer:




- II: The ascending order is,,,,
- Represent on a number line.
 - The set of natural numbers between 1 and 4




because

The set of natural numbers less than 4



The set of natural numbers greater than or equal to 4, and written as $X \ge 4$, $X \in \mathbb{N}$



Exercises

Write the following sets using the listing method and represent them on a number line:

 $X = \{a : a \in N, where a is between 0, 4\}$


 $Y = \{a : a \in \mathbb{N}, a \ge 3\}$

 $Z = \{a : a \in N, a < 6\}$

 $M = \{a : a \in N, 2 \le a \le 5\}$

Write down the represented set on the following number lines:

.....







- Find the ascending order of 5, 0, 2, 4, 1 and represent them on a number line.
- Represent the following on a number line:
 - The set of prime factors of 30.
 - The set of prime numbers less than 25.



You will learn

- Operations on natural numbers
- Addition operation in N
- Subtraction operation in N
- Multiplication operation in N
- Division operation in N

(A) Key Terms

- Adding two natural numbers.
- Closure and commutative properties
- Associative property
- Additive neutral element
- Distribution property
- Subtraction in N
- Multiplicative neutral element

Operations on Natural Numbers




I: Addition Operation in N

The teacher of Mohamed and Hoda asked them to think about a way to add two numbers such as 2 and 4 on the number line:

Mohamed said


I will start at 0 moving two units to the right, then 4 units in the same direction, then I reach the number 6. Thus, 2 + 4 = 6



Hoda said

I will start at 0 moving first 4 units to the right, then two units in the same direction. Then I will reach the number 6. Thus, 4 + 2 = 6.





In general: for any two natural numbers a

and b:a+b=b+a

Commutative property of adding in N.

Remarks



For any two natural numbers a and b:

$$a+b=c$$
, where $c \in \mathbb{N}$ i.e $2+3=5$, $5 \in \mathbb{N}$

ie
$$2+3=5,5\in N$$

Closure property of adding in N.

i.e.
$$(2+3)+7=2+(3+7)=2+3+7=12$$

For any three natural numbers a, b and c:

$$(a + b) + c = a + (b + c) = a + b + c$$

Associatie property of adding in N.



$$6+0=6$$
 also $0+6=6$

i.e.
$$6+0=0+6=6$$

For any natural number a: a + 0 = 0 + a = a

Therefore: zero is the additive neutral element of adding in N.



Complete to get a true sentence:

Student's Book- second Term


Al Ashraaf Printing House

II: Subtraction in N

Subtract if possible:

A 5-3






Remark


- Subtraction operation is sometimes not possible in N.
- For any two natural numbers a and b then a b is possible only if: a ≥ b



Complete using ∈ or ∉

III: Multiplication operation in N.





In general:

 $1.0, 2 \times 3 = 3 \times 2 = 6$

For any two natural numbers a and b:

 $\mathbf{a} \times \mathbf{b} = \mathbf{b} \times \mathbf{a}$

Commutative property of multiplication in N

Remarks



 \angle For any two natural numbers a and b: $a \times b = c$, $c \in \mathbb{N}$

i.e. the product of two natural numbers is a natural number.

i.e. closure property of multiplying in N.



For $a \in N$: $a \times 1 = 1 \times a = a$. For example, $5 \times 1 = 1 \times 5 = 5$

1 is called the multiplicative neutral element of multiplication in N.



 $(2 \times 3) \times 5 = 6 \times 5 = 30, 2 \times (3 \times 5) = 2 \times = 30$

i.e. $(2 \times 3) \times 5 = 2 \times (3 \times 5) = 2 \times 3 \times 5$

In general: For any natural numbers a, b and c

 $(a \times b) \times c = a \times (b \times c) = a \times b \times c$

Associative property of multiplication in N.



If $a \in N$, then: $a \times 0 = 0 \times a = 0$

$$2 \times (4+7) = 2 \times 11 = 22$$
, $2 \times 4 + 2 \times 7 = 8 + 14 = 22$

i.e.
$$2 \times (4 + 7) = 2 \times 4 + 2 \times 7$$

In general. For any natural numbers a, b and c:

$$a \times (b + c) = a \times b + a \times c$$

also

$$(a + b) \times c = a \times c + b \times c$$

Distributive property of multiplication over addition in N.



Complete:

$$5 \times (23 + 78) = 5 \times \dots + 5 \times \dots$$



$$9 \times (24 + 17) = 9 \times \dots + 9 \times \dots$$

IV: Division operation in N

While,
$$6 + 5 = 1.2$$
, $1.2 \notin N$

i.e. Division operation is sometimes not possible in N

Also
$$0 \div 5 = 0$$
, $0 \in \mathbb{N}$ because $5 \times \text{zero} = \text{zero}$

While
$$5 \div 0$$
 or $\frac{5}{0}$ is not possible because it is not defined. There is no number if multiplied by 0 produces 5.

Thus, dividing any natural number by zero is not possible.

Mathematics - Lifth Primary



Three natural numbers a, b and c, where a = 12, b = 4 and c = 2:

- \bigcirc Is a + b equal to b + a?
- \bigcirc Is a + b = c, $c \in \mathbb{N}$?
- \bigcirc Is (a + b) + c = a + (b + c)?

Complete and tell the property used:

- \bigcirc (4 × 31) × 25 = (31 ×) × 25 Property
 - $= 31 \times (4 \times)$ Property
 - = 31 ×
- **(B)** 2 × (13 × 5) = 2 × (5 ×) Property
 - = (2 ×) × 13 Property
 - = × 13 =
- \bigcirc 7 × (98 + 3) = × + × Property
 - Property

2) Use ∈ or ∉

- $\bigcirc 0$ $\bigcirc 7$ N $\bigcirc 3$ $\bigcirc 3$ N
 - (7 × 2 7 × 5) N
- (8 8) N
- **◎** (7 × 3 − 3 × 7) N
 - **(**0 × 9) N

3 Complete to get a true sentence:

- The additive neutral element in N is whereas the multiplicative neutral element in N is
- (B) If $9 \times 13 = 13 \times x$ then x =
- **(**93 + 87) (87 + 93) =
- \bigcirc 7 × 0 = $\frac{1}{9}$ =
- In the opposite figure: If m and n are two natural numbers,

then <



4 Complete using:

(odd , even , prime , neither).

- An odd number + an even number = number
- The sum of two odd numbers = number
- An odd number × an even number =..... number
- If x is an odd number, then x + 2 is number
- If x is an odd number, then x 1 is number
- The smallest prime number × any prime number = number.

5 Tell whether each statement is true or false:

- \bigcirc (81 + 112) \times 117 = 117 \times (112 + 81)
- $\bigcirc (28+6) \in \mathsf{N} \tag{}$
- \bigcirc 5 0 = 0 5

Mathematics - Lifth Primary

- 6 Calculate using commutative, associative and distributive properties.

 Check your answer using a calculator:
 - @ 2 × 347 × 5

- **4** × 128 × 75
- © 8 × 49 × 125
- 0 10 (75 + 812 + 25)
- $(125 \times 8 + 25 \times 40) \times 90$
- If a = 3, b = 4 and c = 0, find the value of the following:
 - \bigcirc 2 × a + 5 × b
 - ⊕ a × c + b × c
 - **②** (3 × a + 5 × b) × c
 - \bigcirc (a + b c) \times (a + b)
 - (b-a)(b+a)
- Let X be an even number between 3 and 8. Find the values of X then represent the values of $\frac{x}{2}$ on a number line.
- Write the results of the given expressions in an ascending order.
 - 7×10 , 35 0 , 178 178 , $(2 \times 3) \times 5$
- Complete the patterns :
 -, 8, 11, 14,
 - **(B)**, 12, 24, 48,





Numerical Patterns

*You will learn

- To complete numerical patterns.
- To make numerical patterns.

(A) Key Terms

- ► A pattern
- ► A numerical pattern



In a math puzzle book, Hussam noticed an arithmetic triangle shown in the opposite figure. He and his friend Fayez thought to complete the pattern through row 7. Can you help them?



Example

Complete each of the following patterns:


- **6** 5, 7, 9, 11,

- ① 1 × 1, 2 × 2, 3 × 3, 4 × 4,

Solution

- Remark: we started with 5 and to get the successive number, 2 is added. Therefore, the next two numbers are 13 and 15.
- Remark: we started with 2 and to get the successive number, we multiply by 3. Therefore, the next two successive numbers are $54 \times 3 = 162$ and $162 \times 3 = 486$


Mathematics - Lifth Primary



 \bullet The next two successive numbers are 5 \times 5 and 6 \times 6.



1 Complete using the same way:



- ② 2 , 4 , 8 , , ,
- © 1 , 4 , 7 , 10 , ,
- 0 1 , 4 , 8 , 13 , , ,

2 Find the two successive numbers in each pattern:

- - 1 , 3 , 9 , 27 , ,
- © 5 , 15 , 25 , 35 , ,

Exercises

Evaluate using a calculator. Write only 5 decimals without approximation.



$$\frac{1}{9} = 0.11111$$

$$\frac{2}{9}$$
 =

Without using your calculator, can you evaluate:

$$\frac{4}{9} = \dots \qquad \qquad \frac{5}{9} = \dots \qquad \qquad \frac{6}{9} = \dots$$

$$\frac{7}{9} = \dots \qquad \frac{8}{9} = \dots$$

Write down three successive numbers in each pattern:



© 480, 492, 486, 498, 492, 504, © 106, 100, 94, 88, 82,



(89, 79, 70, 62, 55,

- Sherine sold a discount card that gives a discount to its owner at some fast food restaurants for LE 38. If the price of the card had increased LE4 annually during her owning to the card for 4 years. How much did she spend to buy this card?
- Hany has 3 test rabbits in his lab. If the number of rabbits is doubled each certain period. How many rabbits will be there in 5 periods?

Mathematics - Lifth Primary

General Exercises

1	Find the sum using commutative and associative properties in N. State
	the property used:

Number	the number just before	the number just after	the number with 5 less
а		*************************	*********
a + 6	•••••	••••	•••••
a+5	*************************	•••••	••••••
a+9	***************************************		**************************

A man is X years old , where $X \in N$. Find :

- his age after 8 years .

 his age 15 years ago.

- **A** 908 9008
 - **8** 5075...... 5057
- \bigcirc 2239 2229 \bigcirc x + 18....... x + 17, where x \in N.
- (E) x 18 x 17, where x is a natural number greater than 20.
- $x \dots 75$ where $x \in \{30, 21, 32, 33\}.$
- y 18, where y ∈ {20, 21, 22, 23, 24}



- X is less than 8.
- X is greater than 8.
- 8 is less than X.
- 8 is greater than 8.
- Z is greater than or equal to L.
 9 is less than or equal to L.
- 9 is greater than or equal to L. Z is between 9 and 17.

Write the ascending order and the descending order of:

- 85. 78, 79, 67, 74, 86, 25
- **453**, 345, 435, 543, 354
- In the opposite figure a, b, c, d and e are five natural numbers represented on a number line.

Complete using > or < .

8 Represent the following sets on a number line:

- \triangle X = the set of natural numbers less than 7.
- Y = the set of natural numbers greater than 5.
- a, b, c and d are four natural numbers where, d > a, b < c, c < d, b < d, and b > a. Represent these numbers on a number line.
- The greatest number of four consecutive natural numbers is x + 7, Find the other three numbers.
- The greatest number of five consecutive natural odd numbers is y +15. Find the other four numbers.
- The middle number of three successive natural odd numbers is y. Find the other two numbers. What is the least value of the number y?




Find the following products using the distributive property:

Dina paid LE 34 for her annual membership card in a science club. Dina told her friend Hanaa that this amount is increased by LE11 annually. How much will it be after 10 years?



Notice each pattern then complete the next pattern:



Unit test

Choose the right answer:

The smallest natural number is
$$(0,\frac{1}{10},1)$$

2) Complete each pattern :








Evaluate using commutative and distributive properties :

Complete to get a true sentence:

$$9$$
 2358 × 17 = 2358 × (7 +)

Mathematics - Lifth Primary



2-1

Mathematical Expressions



1 Numerical expressions

$$3 + 5 = 8$$
 , $7 - 2 = 5$
 $3 \times 7 = 21$. $21 + 3 = 7$

All previous expressions are known as numerical expressions.

2 Symbolic expressions

$$\triangle - 4 = 15$$

$$\frac{\bigcirc}{8} = \frac{3}{4}$$

and the expression can be written as:

$$X + 3 = 5$$
 $2 \times Z = 10$

$$L-4 = 15$$
 $\frac{Y}{8} = \frac{3}{4}$

These expressions are known as symbolic expressions.

You will learn

- Numerical expression
- Algebraic expression

Key Terms

- Numerical expression.
- Symbolic expression.

Mathematics - Fifth Primary

26

The following table summerizes it:

	Shape	symbol	Symbolic expression	Verbal expression (in words)
1		X	X + 3 =5	Which number can be added to 3 to have the sum 5
2	Δ	L	L - 4 = 15	From which number 4 is subtracted to get 15
3		Z	2 × Z = 10 or wirtten as 2Z = 10	Which number can be multiplied by 2 to have the product 10, or what is the number which if doubled, the result is 10
4	0	Y	$\frac{\forall}{8} = \frac{3}{4}$	what's the value of Y that makes the fraction $\frac{Y}{4}$ equivelent to the fraction $\frac{3}{4}$

Remark 2 × X is written as 2X . 5Y means

Also the double of X is wirrten as 2X. Also five times of Y is wirtten as 5Y



Complete using a suitable symbolic expression:

Add 6 to the number X, the symbolic expression is

B Subtract 3 from the numbe Y, the symbolic expression is......

Multiply 5 by the number Z, the symbolic expression is

Divide the number M by 3, the symbolic expression is

Exercises

Complete the following table as the example:

	Number	Add 3	Subtract 7	Multiply by 3	Divide by 4
Example	x	x + 3	x - 7	3x	<u>*</u>
&	У	*****	000000000000000000000000000000000000000	**********	
B		4 3 4 5 0 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	z-7	*******	***************
S		******	000004440004		<u>L</u>

2 Complete the following table as the example:

	Verbal Expression (in words)	Symbolic Expression	
Example	Add 3 to the double of the number x	2 x + 3	
&	Subtract 5 from the double of the number y	**********	
B	Add 7 to three times of the number z	***************************************	
C	Subtract 3 from the half of the number x	1 x	
\$	Add 6 to one third of the number z	******************************	

3 Complete:

- Saeed has LE X and his father gave him LE8. How much will Saeed have?
- The length of a rectangle is 3cm more than its width. Let the length be I cm, then the width will becm.

Mathematics - Pifth Primary

(28)

The sum of what Manal and Nihal have is LE 10. If Manal has LE x, then Nihal will have LE......

Choose a suitable symbolic expression:

- If we subtract 5 from the number X we get (5x, 5 x, x 5, x + 5)
- Suzan saved LE x and her father gave her LE 10. She will have ... (x 10, x + 10, 10 x, 10 -x)
- Subtracting 3 from double of the number x =(x 3, 2x 3, 3x + 2, 5x)
- The difference of two numbers is 7, and the smaller number is y, then the greater number will be = (7y, 7-y, y-7, y+7)

Translate into symbolic expresions:

- Subtract 8 from a number.
- Add 5 to the 3 times of a number.
- Add 4 to the half of a number.
- Subtract 7 from one third of a number.

6 Complete:

- \bullet The perimeter of a square whose side length is $\ell = \dots$
- The perimeter of a rectangle is 20 cm. If its length is x cm, then its width =
- The lengths of two adjacent sides of a parellelogram are x and y, then its perimeter =
- If the sum of two numbers is 10 and one of them is X, then the other =

Student's Book-second Term
29

2-2

The Constant and the Variable



You will learn

- The meaning of a constant
- The meaning of a variable
- The meaning of a mathematical relation

If the price of a pen is LE 2 complete:

the price of 3 pens = 3×2 = LE 6

the price of 4 pens = $4 \times ... = LE ...$

the price of 8 pens = $8 \times ... = LE ...$

the price of 12 pens =×.... = LE...



Key Terms

- ▶ Constant
- Variable
- Mathematical Relation

Remark

In this example, the price of one pen is constant whereas the prices of pens vary according to variation in its number.

Let x represent the number of pens and y represent the price of the pens , then y depends on x, the price of x pens.

$$y = 2 \times x$$
 or $y = 2 x$.

Record the values of X and their corresponding values of Y in the following table:

x	3	4	8	12
У	6			0 0 0 0 0 0 0

Remark

The relation Y = 2X relates the two variables X and Y and is called a mathematical relation.

Mathematics - Fifth Primary



The price of a meal in a restaurant is LE 15, and LE 3 are added for delivery service, it does not matter, how many meals.

How much should be paid in the following cases?

4 1 meal house delivery	you pay LE
B 3 meals house delivery	you pay LE
1	

4 meals house delivery you pay LE

Remark Total price = a meal price > the number of meals + delivery service

Let y represent the total price you have to pay and x the number of meals you order, then the relation between y and x is as follows:

Remark The number of meals is the variable and is denoted by X.

The total price is the variable and is denoted by Y.


The price of one meal is the constat.

and the price of delivery service is the constant.



An isosceles triangle with base 5cm. Find the mathematical relation between the lengths of its sides and its perimeter.

Let P represent the perimeter of the tringle ABC and L represent the length of AB



then AC =

the perimeter of the triangle ABC = + +

P = 2 L + 5 cm.

Remark

The lengths of AB and AC are variables, while the length of the base BC is constant and equals 5 cm.



The owner of a factory pays the daily wage of one of his workers according to the mathematical relation Y = 12 + 5XWhere X represents number of working hours done in overtime and Y represets the daily wage in LE.



Complete:

The constant daily wage = LE

The constant daily wage and overtime-wage = LE

Complete the following table that shows the mathematical relation of the daily wage according to the overtime hours:

Number of over time hours (x)	0	1	2		******	5
Total daily wage (y)	* * * * * * * * *	* * * * * * * * *		27	32	

Mathematics - Pifth Primary

Exercises

- 1 Choose the right answer:
 - The side length of an equilateral triangle is L and its perimeter is P. The mathematical relation between P and L is: P =(\frac{1}{3}L, L + 3, 3L, L 3)
 - The length side of a rhombus is x and its perimeter is P. The mathematical relation between P and X is : $P = \dots (4x , x+4 , x-4 , x+4)$
 - \bigcirc If the sum of two numbers x and y is 20, then y =

$$(20 + x , 20 - x , x - 20 , \frac{x}{20})$$

- x and y are two numbers. The greater number is 3 more than the other. If the smaller number is y, then x = ... (3y, y-3, y+3, $\frac{1}{3}$ y)
- 2 If y = 4x is the mathematical relation between x and y, then complete the table:

x	3	1	5	*****	*****	***
У	*****		*****	24	16	28

- Write down the mathematical relation between x and y, if the number x is 9 more than the double of y.
- Medhat bought x kg of chocolate and put it in a box that costs LE5. Calculate what Medhat should pay in terms of x if the price of 1 Kg of chocolate is LE 28.





You will learn

- The meaning of an equation
- To solve an equation

Key Terms

- Balance or equality
- Equation
- Solving an equation

Equations




The meaning of the equation

Observe and look for the answer:



If the scale is balanced, then



If the weight of a rabbit is x kg, then the mathematical relation x + 3 = 5 describes the balanced situation of the scale, and this mathematical relation is called an equation.

In the second case, if the watermelon weighs $y ext{ kg}$, then the equation is y + 2 = 5 and is called an equation.

Mathematics - Fifth Primary



Complete:

	Verbal expression	Symbolic expression
Example	Adding 3 to a number produces 11	x + 3 = 11
1	Adding 7 to a number produces 15	
2	Subtracting 2 from a number produces 33	
3	Adding 5 to the double of a number produces 17	000100010000010000100000000000000000000
4	Subtracting 9 from the double of a number produces 23	

Sohair saved LE 14. She bought 3 copybooks, with the price of LE X for each one and LE 8 remained with her.

Choose a suitable equation for this situation

$$4 + 3x = 8$$

$$8 - 3x = 14$$


$$4 \times 3x + 8 = 14$$

$$9 \times 3x - 14 = 8$$



1) The equation 50 + x = 86 may represent the following real world situation:

The distance between two cities is 86 km. A car covered this distance in two stages. The first stage was 50 km and the rest was covered in the second stage. Tell another real life situation that can be represented by the same equation.





$$4 \times 10 = 28$$

$$49 - 15 = 7$$


$$6 + 3y = 23$$

$$2x - 3 = 11$$





Examine the opposite figure and discuss it with your group.



In figure A the scale is balanced.

- Take away two units from each pan as shown (in figure (B)) Does the scale keep balanced?
- Add three units to each pan. Does the scale keep balanced? What do you deduce?



Remark

Adding (or subtracting) equal amounts to (or from) both sides does not affect on the equality of the equation.

2

Solving Equations

Example

Find the number which if added to 3, the sum is 9.

Remark

The variable is an unknown number (its value is unknown). Therefore, x is used to express it and the equation that describes this statment is: x + 3 = 9

Now: Can you solve this equation and find the value of the unknown x? Solving an equation: It is to find the value of the unknown (symbol) included in the equation.

Solution

To solve x + 3 = 9 we have to look for a number if added to 3, the sum is 9 i.e.: x + 3 = 9 is the same as: 6 + 3 = 9 therefore, x = 6.

Mathematics - Pifth Primary

Another solution:

x + 3 = 9 Subtracting 3 from each side as it doesn't affect the equality.

x + 3 - 3 = 9 - 3

Thus: x = 6



Solve the equation x - 5 = 8

(Add 5 to both sides) 5 + x - 5 = 5 + 8 (because adding a constant number to both sides has no effect on the equation equality).

x + 5 - 5 = 5 + 8 (Commutative property).

So, x + zero = (Additive neutral element).

= Thus: x



In each of the following figures, the two pans of the scale are balanced as in the first case:





Equation: x + 9 = 11

Solution: x = 2





Equation:

Solution:





Equation:

Solution:





Equation:

Student's Book-second Term Solution:

Al Ashraaf Printing House

General Exercises

- Translate each verbal statement into an equation:
 - A number if added to 17 the sum is 28.
 - If 9 is subtracted from a number, then the result is 23.
 - If 5 is subtracted from 3 times of a number, then the result is 16.
- Write down a real-life situation that represents each of the following equations:

$$4 \times 4 = 29$$

$$8 \times -5 = 19$$

$$\bigcirc$$
 3 y + 9 = 18

Solve each equation:

$$4 \times 4 = 12$$

$$8 2 \times -6 = 10$$

$$x - 7 = 25$$

$$y - 5 = 7$$

$$5 + y = 44$$

Mental Math

(1) Find the value of X in the following:

$$4 + x = 9 + 22$$

$$7 \times = 117 \times 7$$

$$3 \times 52 = (x \times 2) + (x \times 50)$$

$$8 35 + x = 18 + 35$$

$$\bigcirc$$
 12 × (17 × x) = (12 × 17) × 32

$$(7 \times 9) + (x \times 5) = 7 \times 14$$

(2) Solve each of the following equations.

$$4 \times 24 \times = 61 \times 24$$

$$573 = x + (7 \times 10) + (5 \times 100)$$

$$642 = 2 + x \times 10$$

$$8 6 \times 14 = 6 \times (x + 5)$$

$$(x+2) \times 7 = 7 \times 8$$

$$573 = x + (7 \times 10) + (5 \times 100)$$
 $482 = (4 \times x) + (8 \times 10) + 2$

$$42 = 2 + x \times 10$$
 $42 \times 7 + x \times 50 = 2 \times 57$



Technology

Applications on natural numbers and equations using Excel-program:

Practice: Evaluate: $252 \times 76 + 252 \times 24$

To solve the problem: There are two possible ways to evaluate the numerical

expression:

First way: open your Excel program:

1 Enter the number 252 on cell A.

2 Enter the number 76 on cell B.

9 Enter the number 24 on cell C.

Do a mouse click on E, and write down = then A, × B, then press Enter the product of: 252 × 76 is 19152.

Repeat the same steps 1 - 4 : do

a mouse click on G, and write down = then A, × C,, then press Enter product of: 252×24 is 6048.

Do a mouse click on I, and write down = then (E, + G,), then press Enter the final result is 25200



To evaluate 252(76 + 24)


Where:

 $[252 \times 76 + 252 \times 24 = 252 \times$ (76 + 24)] (Give reason for your answer)

To solve the problem: open excel program and repeat steps

1. 2 mentioned previously.

Do a mouse click on cell F, then





=, and write B, + C, then press Enter the sum of (76 + 24) is 100



9 Do a mouse click on I_1 and write = then $A_1 \times F_1$ then press **Entrol** the final result is 25200.

Compare the results in these two ways and be sure of the equality.

Evaluate the following numerical expressions using Excel Program (in two different ways):

- (1) $225 \times 98 205 \times 98$
- (2) $95 \times 98 + 95 \times 402$
- (3) $39 \times 52 + 39 \times 8 + 39 \times 40$

Solve for X: 2 X + 3 = 11

Solution:

- Open Excel program and enter the variable x on cell A₁.
- 2 Do a mouse click on cell A, and enter the number 1, do a mouse click on cell A, and enter the number 2 and continue till you reach the last cell which is number 6 then leave the mouse.



- Do a mouse click on cell B, and enter 3 + 2x.
- O Do a mouse click under cell B_1 enter = then $2 \times A_2 + 3$ (A_2 represents the number 1) and then press **Enter** the result is 5.
- Without doing any calculation, press on cell B₂, a little square will appear on the left end. Do a mouse click on this square and drag it down till the end of the cell reached, where evaluations should be done, then leave the mouse.


The solution: The number 11 highlighted on the cell B_5 satisfies the right side of the equation. Therefore, the solution of the equation 2X + 3 = 11 is X = 4

Use Excel program and solve for X: 2(3X + 4) = 38




Activity

Ahmed wants to innovate some exercises about numerical patterns to prepare puzzle games among school classes. He designed the following successive diagrams:




Choose any value for the variable X, let it be 7 and follow the instruuctions given in the shown pattern above. For instance: 7 + 5 = 12 to complete the pattern, enter 12, then add 5 to get 17 and so on.

Complete: 7, 12, 17,.....



Complete the pattern: 4,,



Complete the pattern : 3,,

Can you help Ahmed design other new patterns?

Student's Book-second Term

Al Ashraaf Printing House



Unit test

- 1 Translate the verbal statments into symbolic expressions.
 - 7 is added to the double of a number.
 - 3 is subtracted from three times of a number.
- 2 Complete:
 - The perimeter of a square whose side length is x =
 - The perimeter of an equilateral triangle whose side length is 1 =
 - The area of a rectangle whose length is x cm and width is 5 cm = cm²
- 3 Solve the following equations:

 - 4 + x = 11
- Write down a real life situation that can be represented by the equation x + 5 = 12, then solve for x.
- Solve for X:

$$75 = 5x + 7 \times 10$$



3-1


Area and its Units



You have studied before the area and perimeter of some geometric shapes. You know that the perimeter is the distance around a shape.

Area of any surface = number of units needed to cover a flat surface.

Now observe the opposite figure and calculate the number of square units which express the area of each shape and complete:



Number and name of shape	Area in Square units
(1) Square	9
(2)	
(3)	
(4)	

Remember the area measuring units:

- 1 Square cm = 1cm² = 100mm² this is the area of a square whose side length is 1 cm
- 1 Square meter $(1m^2) = 100 \times 100 = 10000 \text{ cm}^2$
- 1 Square kilometer (1km²) = 1000 × 1000 = 1000 000 m²
- 1 Square decimeter = (1 dm²) = 10 × 10 = 100 cm²

Area of any surface = Sum of areas of the parts forming this surface

*You will learn

- Area measuring unit
- To find area of a surface
- To find area of a triangle

(A) Key Terms

- Area
- ▶ Base
- ▶ Height
- Square centimeter
- Square meter
- Square kilometer
- Square decimeter
- Congruent surfaces


Remember

Area of a rectangle = length × width.

Area of a square = side length × itself.

1 cm

Remark



area= 36cm²



The rectangle and the square are not congruent, but have the same area


Congruent shapes have the same surface area but the converse is not always true.

Areas of Triangles



Let's work together.

Write the area of the colored part where






area of the rectangle = 3cm^2 area of the colored triangle = $\frac{1}{2}$ area of the rectangle = $\frac{1}{2} \times 3 = \frac{3}{2} \text{ cm}^2$




area of the rectangle = cm²
area of the colored triangle= cm²



area of the rectangle = cm² area of the colored triangle = cm²



area of the rectangle = cm²
area of the colored trinagle = cm²



Area of \triangle A B D =


Area of A A D C = cm²


Area of A A B C = cm²


Area of the triangle = $\frac{1}{2}$ the length of its base × its height




Determine the base and corresponding height in each triangle:













































3 Complete the table:


Base length of △ (cm)	Height of △ in (cm)	Area of △ in (cm²)
12	9	
10		25
	8.2	24.6



ABC is a right angled triangle at A,

The area of
$$\triangle$$
 AB C = $\frac{1}{2}$ × 8 × = cm²

also the area of \triangle A B C = $\frac{1}{2}$ × 10 × A D = 5 × A D, then A D = cm



Practice


In the opposite figure, A B C D is a rectangle whose area is 828 cm², E \in \overrightarrow{BC} , A D = 23 cm and B E = 35 cm. Find the area of \triangle DCE

Solution:

The area of the rectangle ABCD = $23 \times AB$

$$828 = 23 \times AB$$


The area of
$$\triangle$$
 D C E = $\frac{1}{2}$ \times \times = cm²




Exercises


Find the area of \triangle A B C in each of the following:













6.5 cm



In the opposite figure:


The side length of the square ABCD is 8 cm, X is the midpoint of BA, Y is the midpoint of DA. Find the area of the three non colored triangles, then conclude the area of A XCY.



- Which area is greater: a triangle with base =3.25 dm and height = 4 dm or a rectangle with dimensions of 26 cm and 20 cm? Find the difference in cm².
- In the opposite figure, find:
 - $^{\diamond}$ The area of \triangle A B C, where A D = 9cm,

A C = 18cm, B C = 20cm

The length of BE




Mathematics - Fifth Primary


Area of Parallelogram



1 Cut the parallelogram ABCD from a piece of paper in a way the parallelagram is congruent to the figure



opposite. From its vertex D, draw an altitude to the opposite side BC




What is the name of the formed figure AFED? Complete: the area of the parallelogram ABCD = The area of

Area of a parallelogram = base × height

Check:

You know the diagonal of a parallelogram divides it into two congruent triangles.

Area of parallelogram = = $2 \times \frac{1}{2}$ base \times height



*You will learn

To find the area of a parallelogram.

Key Terms

- Parallelogram
- Base of a parallelogram
- Height of a parallelogrm

Area of a parallelogram = base × height

Remark

An altitude of a parallelogram is a perpendicular line segment from a line containing the base to a line containing the side opposite the base. Any one of these sides is called a corresponding base.




How many altitudes are there in a parallelogram?


When do the altitudes equal in the parallelogram?




1) In each figure of the following, determine the base of the parallelogram and its corresponding height.



















Area of figure 1 =

square units.

Area of figure 2 =

square units.

Area of figure 3 =

square units.


square units.

Complete the table for parallelograms:


Length of the base in cm	Height in cm	The area in cm ²
8	3.25	
6.1		54.9
	4.2	63

Find the area of each parallelogram in each figure.










In the opposite figure, complete:

Area of the parallelogram A B C D = B C \times D F = cm^2 also , area of the parallelogram = \times D E deduce the length of \overline{DE} .



Exercises

Ohoose the correct answer:
In the opposite figure, the area of the parallelogram is:



4 13.63 cm

₱ 7.6 cm²





BC.

13.63 cm²

12.63 cm²

In the opposite figure, A B C D is a parallelogram in which AB = 10cm, DE = 12cm, DF = 8cm. Find the area of he parallelogram ABCD, then find length of





3-2

In the opposite figure: Complete, A B C D is a parallelogram where.

BC = 12 cm


AD = cm

AM = cm

the area of the parallelogram A B C D =

the area of the triangle A B M = cm²


the area of the figure M B C D = cm²



- Find to the nearest hundredth, the area of a parallelogram whose base length is 34.7 cm and height 28.17 cm.
- 6) Which area is greater: the area of a parallelogram whose base length is 15.7 cm and height 9.4cm, or the area of a triangle whose base length is 14 cm and height 18 cm?
- 6 In the opposite figure, AY // BX

 ABCD is a parallelogram and EFXY is a rectangle.

Compare the area of the parallelogram and the area of the rectangle.



Patterns: Khaled drew parallelograms this way: the first with base length = 2cm and height = 2cm, the second with base length = 2cm and height = 4cm, the third with base length = 2cm and height = 8cm, and continued with this pattern. Find the area of the eighth parallelogram according to his pattern.

Mathematics - Fifth Primary

52


Area of a square in terms of its diognal length





You have learned before:

the area of a square = side length × itself



For example: to find the area of a square whose side length is 5 cm, then

the area of the square = 5 \times 5 = 25 cm²



Find the area of a square whose side length is 2,7cm? Now, you will learn to find the area of a square in terms of its diagonal length.

Area of a square =
$$\frac{1}{2}$$
 diagonal length - diagonal length

Remark

The lengths of the diagonals of a square are equal in length.

Example

Find the area of a square whose diagonal length is 8 cm.

Solution:

Area of the square= $\frac{1}{2}$ diagonal length \times digonal length $=\frac{1}{2}$ × 8 × 8 = 32 cm²


*You will learn

To find the area of a square in terms of its diagonal length.

Key Terms

Diagonal of a square

Remembe



The diagonals of a square are:


- (1) Equal in length.
- (2) Prependicular to each other.
- (3) Bisecting each other.

Student's Book-second Term


Al Ashraaf Printing House

Practice

- Find the area of a square whose diagonal lengh is 16 cm.
- 2 Complete:



B M = 5 cm the diagonal length $\overline{BD} = \text{ cm}$ the area of the square ABCD = cm²



The area of the rectangle = cm² the area of the square = cm² the area of the colored surface = cm²

Exercises

- 1 The diagonal length of a square is 6cm. Find its area.
- 2 The area of a piece of paper is 312.5 cm² if 7 congruent squares with diagonal lengths of each 9 cm are cut off. Find the area of the left part of the paper.
- A square shaped piece of land with diagonal length 28 m. A square shaped house with side length 15 m has been built on it and the left part was used as a garden. Find the area of the garden.



Mathematics - Fifth Primary

54


The Area of a Rhombus in terms of its Diagonal lengths





You have learned before that a rhombus is a parallelogram. Therefore, to find its area, the same rule to find the area of a parallelogram is used.

Find the area of each rhombus:



Now, you will learn to find the area of a rhombus in terms of its diagonal lengths.

Area of a rhombus =
$$\frac{1}{2}$$
 the product of its diagonal lengths.



Observe the opposite figure and calculate the area of each rhombus in terms of its diagonal lengths. Figure (1) is given as an example.




Figure number	Area in Square units	Figure number	Area in Square units
1	$\frac{1}{2}\times 4\times 6=12$	4	
2		5	
3		6	

*You will learn

To find the area of a rhombus in terms of its diagonal lengths.

(A) Key Terms

- Rhombus
- Diagonal of a rhombus

Remember

The diagonals of a rhombus are:

- (1) Prependicular to each other
- (2) Bisecting each other


Student's Book-second Term

55

Al Ashraaf Printing House

Exercises


1 Find the area of each figure:



2 Complete the following table:

Diagonal length of rhombus	The other digonal length of rhombus	Area of rhombus in square units
3 cm	5.4 cm	cm ²
2.3 cm	cm	4.6 cm ²
24 mm	3 cm	mm²
27 cm	dm	8.1 dm ²
1.7 m	cm	3.4m ²

- 3 In the opposite figure, find:
 - a) The area of the rhombus ABCD, whose side length is 10 cm and diagonal lengths are 16 cm and 12 cm.
 - b) The length of. DE, and DF.
 What can you say about the heights of rhombus?



Find the area of a rhombus with diagonal lengths 7 cm and 9 cm and if its height is 5 cm. Find its side length.

Circumference of a Circle



Find using a measuring tape:

1 The length of the curved line that represents a circle located at the middle of a footaball playground. The length of this curved line is called the circumference of the circle.

Circumference of the circle =

- Measure the length of the diameter of this circle.
 Diameter length =
- Find cirumference of the circle diameter length of th circle



Ahmed made a sign on the front wheel of his bicycle, where it touches the earth. He labeled the tou

touches the earth. He labeled the touch point A on the earth. Then he rode his bicycle in a straight line till the sign touched the earth again and labeled it B on the earth. He recorded the following data:

Circumference of the wheel = the length of AB =

Diameter length of the wheel =

Find cirum/erence of the circle = = =



★You will learn★

- © To find the circumference of a circle.
- \bigcirc What is the approximate ratio π ?

(A) Key Terms

- Circumference of a circler
- The approximate ratio π.


Student's Book-second Term

57





Use a compasses to draw some circles with different radii as shown in the opposite figure. Find the cirumference of each circle using a fine thread.



Record the results in a table like the following one:

Diameter length	Circumference	circumference diameter length

Use a calculator to do the division operation. What do you notice?

From activities 1, 2 and 3 we observe that:

diameter length has nearly the same value and approximately equal to 3.14 or $\frac{22}{7}$ and known as approximate ratio π and pronounced "pie".

Mathematician Ghiatho Al-dein Alkashi, 1380 - 1436 B.C., calculated an approximate value for this ratio.

i.e.:
$$\frac{\text{circumference of a circle}}{\text{diameter length of the circle}} = \pi$$

The circumference of a circle = $\pi \times$ diameter length

Where
$$\pi \approx 3.14$$
 or $\frac{22}{7}$

Example

Find the circumference of a circle with diameter length 14 cm.

Solution:

The circumference of a circle = $\pi \times$ diameter length

$$=\frac{22}{7} \times 14 = 44$$
 Cm



Complete the table:


Radius length	Diameter length	π	Circumference
7 cm	cm	7	cm
cm	20 cm	3.14	
cm	cm	3.14	75.36 cm
mm	98 mm	$\frac{22}{7}$	mm





- Find the circumference of the following circles whose radii lengths are: $(\pi = \frac{22}{7})$ for each.
- a) 48 cm b) 14 cm c) $10\frac{1}{2}$ cm d) 3.5 cm
- 2 Find the circumference of the following circles whose diameters lengths are: $(\pi = 3.14)$ for each.
- b) 100 cm c) 50 cm
- Find the radii lengths of the following circles whose circumference are: $(\pi = \frac{22}{7})$ for each.
 - a) 88 cm
- b) 11 cm
- c) 66 cm
- Two circles in which the diameter length of the first one is 20 cm and 40 cm for the other. Find the difference between their circumferences. ($\pi = 3.14$)
- If the wheel's diameter length is 66 cm. What is the distance that the bike covers if the wheels turns 1000 rounds. ($\pi = 3.14$)

General Exercises

- Calculate the circumference of a circle whose diameter length is 15.4 cm to the nearest hundredth (where $\pi = 3.14$)
- Calculate the perimeter of each of the following figures, where $(\pi \approx 3.14)$







A wheel of a bicycle has a diameter length 56cm. Find the covered distance when completing one turn. How many turns should be done to cover a distance of 352 m?



A jam jar has the form of a cylinder. Its flat base is a circle with diameter length 3.5cm. Find the circumference of its flat base.



A piece of paper has the form of a rectangle with dimensions 10 cm and 22 cm is sticked down on the curved surface of the jam jar, where AB coincides on DC. The height of the jam jar = The circumference of the flat base = cm Find the radius length of the flat base where 22 cm



Which figure has greater area; a parallelogram whose base length is 5.4 cm and its corresponding height is 4.1 cm, or a rhombus with diagonal lengths 5.4 cm and 4.1cm?




 $(\pi = \frac{22}{7})$



Activity

Calculate the perimeter of each of the following figures, where $\pi \approx 3.14$:







Figure	Perimeter
1	
2	
3	
4	
5	
6	


Student's Book-second Term
61





Unit Test

Find the area of the following figures :















- If the area of a parallelogram with base length 12 cm and its corresponding height of 6cm is equal to the area of a rhombus with a diagonl length 10 cm, then find the length of the other diagonal of the rhombus.
- 3 Find the circumference of a circle with diameter length 14 cm $(\pi = \frac{22}{7})$
- A piece of land has the shape of a parallelogram whose base length is 18m and its coresponding height 10m. A flower basin has the shape of a square whose diagonal length is 7m is placed inside it. Find the area of the surface left.
- 6 If the circumference of a circle is 154 cm, then find its diameter length $(\pi = \frac{22}{7})$





*You will learn


- Symmetrical figures and axis of symmetry.
- The meaning of reflection.
- To find the image of a point by reflection across a line.
- To find the image of a straight segment by reflection across a line.
- To find the image of a geometric figure by reflection across a straight line.

Key - Terms

- ▶ Geometric transformation
- Symmetrical figures
- Reflection
- Axis of symmetry

Symmetrical figures and axis of symmetry






It is noticed in the given figures that there is a straight line dividing each figure into two identical parts.

This line is known as the axis of symmetry of the figure.

If the paper is folded on the axis of symmetry, the two halves will coincide on each other.

The following figure illustrates the symmetry axes of some figures you learned before. Write the name of each figure and complete:




- Figures having axes of symmetry are
- By The symmetry axis divides the figure into two halves.
- The number of symmetry axes of an equilateral triangle







The straight line L is considered to be an axis of symmetry for a figure, if every point on that figure has an identical point on the same figure, with respect to the line L.





Geometric transformations

In the opposite figure, the colored triangle is transformed to another position by reflection, translation or rotation according to a certain system known as geometric transformations.

Each geometric translation has a specific meaning. For example, reflecting the figure which is called

(Reflection), moving the figure in a certain direction which is called (Translation) and turning the figure around a point with a certain angle which is called (Rotation).





Reflection

Remark

A geometric transformation transforms every point A in the plane to another point A' in the plane itself.

Student's Book-second Term





Reflection




Draw on a graph paper a triangle as shown in the opposite figure.

Put a vertical flat mirror on one of the lines like AB as shown.

3

Observe the reflection of the triangle in the mirror.

Are the lengths of the original triangle straight segments equal to their corresponding images?



Are the straight segments drawn from the vertex of the triangle and their corresponding image perpendicular to the axis AB?

The figure above illustrates a geometric transformation called reflection and the edge of the mirror represented by $\stackrel{\longleftrightarrow}{AB}$ is called the axis of reflection.



1


The image of a point by reflection:

To find the image of point A by reflection across line L, draw from point A a perpendicular line to L to intersect it at point E and take A` E = AE where $\overrightarrow{A} \in \overrightarrow{A} \in \overrightarrow{A}$

Then point A' is the image of point A by reflection across L.



In the opposite figure: find the image of points B, C and D by reflection across L.






2 The image of a line segment by reflection

To find the image of AB by reflection across L: Find the image of point A by reflection across L. Label it A'.

Find the image of point B by reflection across L. Label it B'.

Draw A'B' to be the image of AB by reflection across L.





In the previous figure:

- ① Given that C ∈ AB. Find the image of point C by reflection across L. Label it C'.

 Does C' ∈ A'B'?
- ② Choose any point ∈ L, Label it D.

Find the image of point D by reflection across L. Label it D'

Does D' coincide on point D?

Remark

The image of point A by reflection across line L is A', and the image of point B by reflection across L is B' where:

If A ∉ L then L bisects the perpendicular segment AA.


if B ∈ L, Then B'coincides on B.





Find the images of the indicated line segments by reflection across L. Then complete:

- The image of AB by reflection across L is
- The image of EF by reflection across L is
- The image of XY by reflection across L is



The image of CD by reflection across L is

Compare the length of each line segment and the length of its image. What do you conclude?

3 The image of a geometric figure by reflection

Find the image of the triangle ABC by reflection across L:

The triangle ABC is made up of three sides:

In the opposite figure:


Locate A' the image of A by reflection across L.

Locate B' the image of B by reflection across L.

Locate C' the image of C by reflection across L.


Draw A'B', B'C' and C'A' to get the triangle A' B'

C' the image of triangle ABC by reflection across L.






Remark




the image of \triangle A B C by reflection across L is \triangle A' B' C'





- AB = A'B', $m(\angle A) = m(\angle A')$
- BC = B'C', $m(\angle B) = m(\angle B')$
- CA = C'A', $m(\angle C) = m(\angle C')$
- Find the image of the square ABCD by reflection across L:

Locate point A' the image of A
Locate point B' the image of B
Locate point C' the image of C




Remark


Point D ∈ L then D' concides on the point D itself

∴ The image of square ABCD is square A' B' C' D.



- In the opposite figure: Find the image of the rectangle ABCD by reflection across L, then complete:
 - The image of the rectangle ABCD by reflection across L is the rectangle









- 2 In the opposite figure: Find the image of the parallelogram XYZN by reflection across L, then complete:
 - The image of the parallelogram XYZN by reflection across L is the parallelogram...







Remark

- To draw the image of a given figure by reflection across line L, the distance between any point of the figure and the axis of symmetry is equal to the distance of its image and the axis of symmetry but on the other side.
- If point B belongs to axis of symmetry L, then its image coincides on the point itself.
- 3 Determine the image of each figure by reflection across L.








Refer to the previous figures, complete:


- (1) Each figure and its image are
- (2) The image of point A is because it
- (3) The image of point C is because it
- (4) If the paper where the figure is drawn on is folded along the axis of symmetry the figure coincides on



Draw the axis of symmetry to make one of the following figures an image to the other.










5 In the following figures, draw the image of the colored figure by reflection across L.

















Student's Book-second Term
71



*You will learn

- To locate points representing numbers on a horizontal ray.
- To locate points representing numbers on a vertical ray.
- To locate a point on a coordinate plane.

(1) Key Terms

- ► Horizontal ray
- Vertical ray
- ▶ Coordinate plane

Locating points on a ray



Observe the horizontal ray $\bigcirc \times$ drawn in the following figure:



The length of $\overline{AB} = 7 - 4 = 3$ units

What is the length of the line segment OA? What is the length of the line segment OB?

Locate point C on the number line to represent the number 9. What is the length of the line segment AC and what is the length of the line segment BC?



On the horizontal ray OX shown in the following figure:



- Locate point A to represent the number 1.
 - Locate point B to represent the number 5.
- Locate point C to represent the number 8.
- Complete: the length of AB = units, the length of BC = units and the length of AC = units.
- Locate point D that bisects the line segment between A and B.

Which number is represented by point D?

When the ray is vertical



In the opposite figure:


The ray or is a vertical ray and starts with point O which represents the number zero.

- Locate point A that represents the number 3.
- Locate point B that represents the number 8.
- What is the length of AB?
- If point E is the midpoint of OB. What is the length of OE?

Locating points on a coordinate plane

If the horizontal ray $\overrightarrow{\circ} \times$ and the vertical ray OY are drawn, then a coordinate plane is constructed as shown in the opposite figure. The location of each point is determined by an ordered pair. Each ordered pair determines only one point on the plane.

Where point A (3, 2) and point B (2, 5)



2 On the figure above, plot the points M (5, 2) and N (5, 8), then complete:

CM =units. ND = units. MN =units.


The name of the figure MNDC is and, the perimeter of the figure Student's Book-second Term MNDC is units.



Exercises

On the coordinate plane illustrated in the opposite figure:

- I. Complete: A (,)
 - B (,)
 - C(,)
 - D (,)



II. If L is the the axis of reflection to the figure ABCD, complete:


- The image of B by reflection across L is B'(,)
- The image of C by reflection across L is C'(__,__)
- The image of A by reflection across L is A'(,)
- The image of D by reflection across L is D'(,)


III: The Image of \triangle BCD by reflection across L Is


IV: The image of the figure ABCD by reflection across L is


General Exercises

1 Find the image of each of the following figures by reflection across L.











2 Draw the axis of symmetry to each figure.







3 In the opposite figure, BD is the axis of reflection.

Complete:

The image of \triangle ABC by reflection across $\stackrel{\longleftrightarrow}{\bowtie}$ BD is ,then


AB = and AC =

The image of △ A C D by reflection across ⊕ D is ,then

A D = and □ C D coincides on

△ A B C is congruent to △ and

△ E C D is congruent to △




4 In the opposite figure: complete:

△ BEF is the image of △ AEF by reflection across

B D F is the image of △ CDF by reflection across

△ A B F is the image of △ C B F by reflection across

♣ BEF is the image of △ BDF by reflection across




The opposite figure represents a coordinate plane:

Write the coordinates of points A, B, and C.


B Draw △ A` B` C` the image of △ ABC by reflection across (L) and determine the coordinates of the vertices A`, B` and C`.

Draw △ A" B" C", the image of △ ABC by reflection across M and determine the coordinates of its vertices A", B" and C".






- On the coordinate plane illustrated in the opposite figure:
 - Plot the following points.
 - A (2, 2)
 - B (5, 2)
 - C (5, 8)
 - D (2, 8)
 - B Draw the line segments AB, AD, CD



- If BC is the axis of reflection of the figure ABCD, then find the image of the figure using the suitable symbols.
- Determine the ordered pairs of the points representing the vertices of the image.

Activity


- Use the coordinate grid net to draw some figures, then locate their images by reflection. Add it to your portfolio.
- 2 Use the reflection to design your own decorative figures.







Unit Test

1 In the opposite figure: Draw the image of the figure ABCD by reflection across (L).



- 2 On a coordinate plane:
- Plot the following points:
 A (3, 5), B (6, 5) and C (3, 2).
- Find the length of AC.
- Find the length of AB.
- Draw the image of \triangle ABC by reflection across $\stackrel{\frown}{AC}$ and determine the ordered pairs that represent the vertices of the image.







Collecting data



- To collect data using counting and recording.
- To collect data using measuring.





- © Counting and recording
- Carrying out a survey of opinion
- Measuring



Last friday, Ahmed went with his father to the gas station where his father works. He saw cars refueling and he noticed that some cars were refueling with gasoline 80 while other cars were refueling with gasoline 90 and some were refueling with disel.



Ahmed asked his father about the difference between each type of gasoline. His father said that gasoline 90 is purer than gasoline 80 and this is suitable for modern cars to preserve the engine while gasoline 80 is used by older cars because it is cheap. However, there is another type of gasoline: gasoline 92 which is the purest of all, but it is not avaliable in that gas station.

As for disel, it is used by trucks and some other cars equipped to use that type of gasoline.

Ahmed recorded the number of cars and the types of fuel they put in every hour:

Type of fuel	Tallies	Frequencies
80		
50	WWW I	(***)**

Complete the following frequency table, then answer the following questions:

- 1 What is the most wanted type of gasoline at that station?
- What is the least wanted type of gasoline at that station?
- What advice would you give to the manager of that station?



Carry out a survey on your classmates about the sports practiced by them, then answer the following questions

Game	Tallies	Frequencies
Football		
Ping-Pong		
Basketball		
Swimming		



What is the least popular game for students?

What advice would you give to your classmates who do not take part in any type of these games?



Use a thermometer and record the tempratures in a week at the following times (8:00 am, 2:00pm, 3:00pm, 6:00 pm and 10:00pm)

Arrange the tempratures of every day in an ascending order. Are there any repeated tempratures? on which days? at what time?

Student's Book-second Term
81



Organizing and displaying data



- To organize and display data using the simple frequency table.
- To organize and display data using the cumulative frequency table.

Key Terms 🤲

- Simple frequency table
- © Frequency table with intervals



The number of students in my class is 40 students. The senior of the class wanted to record our weights. We




brought the scale from the room of the school nurse. Then, we recorded the weights approximated to the nearest kilogram. They were as follows:

41,	37.	40,	42,	44,	41,	45,	38,	42,	43,	37,	38,	42,	46,
39,	45,	40,	36,	40,	38,	42,	42,	41,	40,	43,	39,	40,	41,
	39,	41,	43,	40,	39,	38,	35,	46,	44,	36,	44,	43	

Our teacher divided us into groups and asked each group to think of a method to organize and display those data.

The first group thought of the following method:

Weight in (kg)	Tallies	Number of students (frequency)
35	1	1
36	II	2
37	II	2
38		4
39	[]]]	4
40	MII	6
41	IHI	5
42	IHI	5
43		4
44	III	3
45	II.	2
46	H	2



The lightest weight is 35 kgs while the heaviest weight is 46 kgs

The second group thought of the following method:

Weights	Tallies	Frequencies
35, 36	111	3
37, 38	भाग	6
39, 40	मा मा	10
41, 42	मा मा	10
43, 44	HI III	7
45, 46	1111	4

The third group thought of the following method:


Weights	Tallies	Frequenc
35, 36, 37	иn	5
38, 39, 40	וווו זאג זאג	14
41, 42, 43	וווו זאג זאג	14
44, 45, 46	וו זאג	7

it can be written also in the form __ where (35-) means that weight is ranging from 35 kgs to less than 38 kgs.

Sets	Frequency
35-	
38-	
41-	
44-	



In your opinion, which method of the three is the easiest? Why?



Excersises

1 The following are the marks of 32 students in the final math exam for the first term:

25	30	38	41	47	48	50	32
37	46	48	26	38	40	42	30
35	50	40	37	39	48	49	47
36	45	35	42	41	40	36	44

First: complete: the lowest mark is

the highest mark is

Second: Think of a method to display those marks in suitable sets.

Form the cumulative frequency table with sets for these data. Can you display those data in another way? Explain your answer.

2 The teacher asked the students to head for the student's affairs official in order to determine the days of absence for each student in the class. The number of students was 40 students and the data were as follows:

2	1	5	0	3	1	4	1	2	6
0	2	1	3	5	4	1	2	1	0
3	1	0	4	4	2	1	0	1	3
1	2	6	7	1	4	3	4	2	3


Form the frequency table that represents these data, then represent them by a bar graph.

Reading tables and line graphs





opposite data representation shows the number of babies who were born at a hospital from 2003 to 2007. From the drawing. find:



First: The number of births at that hospital in 2005.

Second: The increase in the number of births in 2007 compared to 2003.

Solution

First: The number of births in 2005

 $=100 \times 3 + 50 = 350$ births

Second: The number of births in 2007

 $=100 \times 5 = 500$ births

The number of births in 2003

 $=100 \times 2 + 50 = 250$ births.

The increase of births in 2007 Compared to 2003 =

500 - 250 = 250 births.

You will learn

- To represent data using pictures (pictographs).
- To represent data using bar graphs.
- To represent data using double bar graphs.

Key Terms

- Representing data by pictures (pictographs)
- © Representing data by bar graphs
- © Representing data by double bar graphs

What is the increase in births at that hospital in 2006 compared to 2004?





The opposite bar graph shows what Samir, Adel, and Mohamed have saved during the first five months of the year. Complete:

- The savings of Samir are equal to the savings of Adel in April and in
- B The savings of Mohamd are equal to the savings of Adel in
- The savings of Samir are greater than the savings of Adel in and



The following figure shows the sales of TVs, computers, and air conditioners in thousands of pounds in a store during five successive days:





Complete:

- A The day in which the sales of air conditioners are equal to the sales of computers is
- By The day in which the sales of the TVs are equal to the sales of computers is
- C) The days in which the sales of computers are greater than the sales of televisions are
- The days in which the sales of TVs are smaller than the sales of air conditioners are


Representing data by the histogram and the frequency polygon



Magdy and Yasser visited a company to collect some data about the daily wages paid for workers. They recorded the data and formed the following cumulative frequency table with sets.

Sets	20-	30-	40-	50-	60-	Total
Frequency	6	10	14	7	3	40

Their teacher asked them to represent the data using the frequency polygon.



Magdy said:

First, I can draw the histogram that I learned, then:

- I bisect the upper bases of the rectangles that form the histogram.
- 2 I draw line segments that join the points of bisection in order.
- 3 The union of the line segments is called the frequency polygon. In the above figure, it is colored in red.

5-4

*You will learn

To represent data using the frequency polygon.

Key Terms (A)


The frequency polygon


Student's Book-second Term

87

Yasser said:

I would follow another method to draw a frequency polygon as follows:





frequency

14

10

8

6

- I would determine the points which represent the ordered pairs (the center of the set, the frequency).
- I would draw line segments that join these points in order, thus I would finish drawing the frequency polygon.



Which method would you prefer: Magdy's or Yasser's method? and why?



The following table represents the marks of 50 students in the math exam in a month, where the full mark is 50.


Sets	10 -	20 -	30 -	40 -	Total
Frequency	10	12	18	10	50

Draw the frequency polygon which represents the given data.

Representing data using the pie graphs




In the following figure; A circle whose center is M has the radii MA, MB and MC Those radii divide the surfuce of the circle into 3 equal sectors, each of them is called a pie graph.




*You will learn

To represent data using pie graphs.




Complete:



The colored sector represents of the circle



The colored sector represents of the circle



The colored sector represents of the circle

Key Terms 🦚

Pie graph

Example

Ahmed, Hossam and Hanan have bought Pizza for dinner and paid LE 24. Ahmed paid LE 12, Hossam paid LE 8, and Hanan paid the rest. The pizza has been divided into sectors according to the amount of money each paid. Graph the given data.



Hanan paid = 24- (12 + 8) = L.E 4 Ahmed's share = $\frac{12}{24}$ of the pizza =

 $\frac{1}{2}$ of the pizza.

Hossam's share = $\frac{8}{24}$ of the pizza = $\frac{1}{3}$ of the pizza.

Hanan's share = $\frac{4}{24}$ of the pizza = $\frac{1}{6}$ of the pizza.





Exercises

The following table shows the recorded tempratures in 40 cities on a day.

Temperatures	20 -	22 -	24 -	26 -	28 -	Total
Number of cities	7	9	11	8	5	40

Required:

The number of cities with temperatures less than 24 degrees Celsius.

B Draw each of the histogram and the frequency polygon.

The following frequency distribution shows the marks of a group of students in an exam.

Sets	5-	10 -	15-	20 -	25 -	30 -	35 -	Total
Number of students	3	6	8	12	10	6	5	50

First: What is the number of students who got 30 marks or more.

Second: Draw the frequency polygon for that distribution.

An employee spends his salary as follows:

LE 200 for clothes.

LE 800 for food.

LE 400 for transportation and medicine.

LE 200 for renting an apartment.

Graph that data on the opposite circle.

A librarian made an inventory of the books in his library and their types. He found the following: $\frac{1}{4}$ of the books are religious, $\frac{1}{4}$ of the books are literary, $\frac{1}{2}$ of the books are scientific.

Graph that given data using a pie graph. If the total of books was 800, find the number of each type of





Activity



When some students were asked about the most popular TV programs, the following data were extracted:


- 1 of the students like to watch sports programs.
- $\frac{1}{4}$ of the students like to watch cultural programs.
- of the students like to watch Arabic and foreign movies.
- 1 of the students like to watch news.
- Represent that given data using a pie graph.
- If the number of students in the class was 48 students, what is the number of students who prefer watching each type of programs?

Technology



- 1 Open the excel program.
- 2 Record data in the column A (types of programs) in the colum B (number of students).
- 3 Shade the data in A and B by the mouse.
- From the insert bar, do a mouse click on chart then pie after that next and next and finish. You will have the required pie graph.

Use the Excel program to solve problem No(4) on page (96)



Student's Book-second Term
91



Unit test

1 The following table shows the frequency of the marks of some students in Mathematics.

Sets	5-	10-	15.	20 -	25 -
Frequency	IM	וא וא	IN IN IN	JHT II	II

First: Rewrite the previous frequency table representing the frequencies by numbers.


Second: What is the number of students who got marks less than 15.

Third: Draw the frequency polygon for that distribution.

2 Draw the frequency polygon for the following frequency distribution:

Sets	10-	12-	14.	16.	18-	20 -	Total	
Frequency	2	5	7	11	6	4	35	

3 220 candidates have applied for a test to hire male and female anchor persons in the televison. If the opposite pie graph represents the given data; what is the number of female candidates who applied for that test?



Test (I)




First: choose the correct answer:

$$(3x, 3+x, 2x+3, 2x)$$


The circumference of a circle of radius 4cm =
$$\pi \times \dots cm$$

In the opposite figure :
$$\Delta$$
 xyz transforms in to Δ x y'z then this transformation is called

(Reflection, Translation, Rotation, Otherwise)



$$(4 \times 31) \times 25 = (31 \times) \times 25$$



Test


The area of a square of diagonal length 10 cm =.....cm²

(25, 50, 100, 400)

In the opposite circular sector :

X representspupils

(40,80,120,240)



The opposite table shows the marks of 40 pupils in one test


The Sets	10-	20-	30-	The sum
frequency	10	12	18	40

the number of pupils who got 30 marks and more =

Second: Complete

(18, 44, 40, 80)


- 45 13, 16, 19, (in the same pattern)
- The symbolic expression of multiplying 5 by the number x is
- The natural numbers less than 2 are
- The area of a square whose diagonal 6 cm =cm²
- If the point A lies on the axis of reflection, then its image by reflection in L
- The opposite figure shows the marks of 40 pupils in one test . the number of pupils who got less than 40 mark =.....
- The solution set of the equation X 2 = 2 in N is






Third: Find the result of:

- Two numbers, their sum equals 35, one of them is x, what is the other number.
- Using the properties of addition operation in N, find the result of (53 + 67 + 47)
- In the opposite figure ABC is right angled triangle at A, $\overrightarrow{AD} \perp \overrightarrow{BC}$, Find the length of \overrightarrow{AD}



On the coordinate plane , if L is the axis of reflection for the triangle ABC , draw the image of Δ ABC in the straight line L .



First: choose the correct answer:

- - $(0, 2, 1, \emptyset)$
- The smallest natural number is (0, 1, 2, 10)
- 5 If $86 \times 15 = 86 \times X + 86 \times 10$, then $X = \dots (10, 5, 15, 20)$
- (8 + 4).....N
 (∈, ∉, ⊂, ⊄)
- The area of the square of diagonal length 8 cm =.....cm²
 - (16, 32, 64, 96) 66 cm, 8cm =.....cm²
- The area of the rhombus of diagonals lengths 6 cm , 8cm =cm² (12 , 24 , 48 , 96)
- The circular sector which represents the following data number

The Subjust	Arabic	Maths	Science
Number of studying hours	3	2	1










The frequency polygon represents the marks of 40 pupils in one test, the centre of the set 40- is

The area of a triangle of base length 12cm, its corresponding height 5cm =cm²

(30, 60, 17, 34)





In the opposite figure:




the length of \overline{AB} = unit length

The area of a square whose perimeter 32cm =cm²


On the coordinate plane in the opposite figure the image of the point A by reflection in L is

[(5,4), (3,3), (1,4), (4,1)]



Second: Complete

- If x is an odd number, then (X+1) isnumber
- M, N are two natural numbers, then <
- The area of the rhombus in which the length of its side is 10cm and corresponding height is 9.6cm =cm²
- The straight line L is calledfor the line segment AA'
- **20** 213 + 57 = 57 +
- If 2X = 4 ,then 4X =
- 200 candidates have applied for a test to hire male and female anchor persons in the televison. If the opposite pie graph represents the given data the number of female candidates who applied for that test is



Males

Student's Book-second Term


97

Test


Third: Find the result of:

- Use the distributive property to Find: 45(10 + 2)
- Find the solution set of : X 7 = 33, $X \in N$
- In the opposite figure :- ABCD is a square of side length 10cm , E ∈ BC , BE= 15cm

Find the area of the shape ABED.



In the coordinate plane, if L is the axis of reflection of the shape XYZL, draw its image by reflection in L



Test (3)



For the special needs

First: choose the correct answer:

- The smallest natural number is (0 , 1 , 2
- 2 If $7 \times 15 = X \times 15$, then X = ... (7, 8, 9)
- If we multiply the number (X) by 5, then we shall get the number

(odd, even, prime)

- If E is the set of even numbers, then EN

 (⊂ , ∈ , ∉ , ⊄)
- The following table is shows the recorded temperatures in 40 cities on a day

Temperatures	20 -	22-	24 -	26 -	28 –	Total
Number of cities	7	9	11	8	5	40

The number of cities with temperatures less than 24 degree celsiuscity

- The area of the square which its diagonal length 6cm =cm²
 (12 , 18 , 81)
- The solution set of the equation X-5 = 19 ({14}, {24}, {5})
- The circumference of a circle of radius 35cm is......cm $\binom{\pi = \frac{22}{7}}{}$

(110, 202, 220)

Second: Complete each of the following by using the answers between the brackts. (24, 4 X, C, D, commutative)

- A rhombus of diagonal lengths 6cm, 8cm, its area =cm²
- The perimeter of a square of side length Xcm =cm

Student's Book-second Term


99



On the coordinate plane in the opposite figure the image of the point C by reflection in the straight line L is

327 x 8 = 8 x 327 (..... property)

The set of natural numbers (N) ∩ The set of counting numbers C =



Third: Join from the column (A) to the suitable from the column (B):

(A)	(B)
(1) If X+3 = 8 , then X =	\in
(2) (24 + 6)N	the length of the diagonal
(3) The circumference of a circle = π ×	5
(4) The area of the opposite parallelogram =cm²	50
Scm Scm B	32
(5) 8 , 16 , 24 ,	

رقه الكتاب:
مقاس الكتاب:
طبع المتن:
طبع الفلاف:
ورق المتن:
ورق المتناطف:

http://elearning.moe.gov.eg

الأشراف برنتنج هاوس